

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date: 09/15/2022

Version: 1.0

Date: 09/15/2022 Version				
SECTION 1: Identification of the subst	tance/	mixture and of the company/u	Indertaking	q
1.1. Product identifier				9
Trade name	OILT	REATMENT 8 FL.OZ.		
Product code	X102			
Other means of identification		product is not hazardous in accordance v da Hazardous Products Regulations (WI).		
1.2. Relevant identified uses of the substa	nce or	mixture and uses advised against		
1.3. Details of the supplier of the safety da	ita shee	et		
Petra Automotive Products, Inc. 11085 Regency Green Drive Cypress, TX 77429 T 713-856-5700				
1.4. Emergency telephone number				
Emergency number	CHEN	ATREC 24 Hour 1-800-424-9300, 1-703	-527-3887 (Int	ernational)
SECTION 2: Hazards identification				
2.1. Classification of the substance or mix	ture			
GHS-US classification				
Not classified				
2.2. Label elements				
GHS-US labeling				
No labeling applicable				
2.3. Other hazards				
Other hazards not contributing to the classification	None	under normal conditions.		
2.4. Unknown acute toxicity (GHS US)				
No data available				
SECTION 3: Composition/Information	on in	gredients		
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name		Product identifier	%	GHS-US classification
Lubricating oils (petroleum), C20-50, hydrotreated neutra	al oil-	(CAS No) 72623-87-1	70 - 76	Not classified
distillates (petroleum), hydrotreated heavy paraffinic		(CAS No) 64742-54-7	22 - 28	Not classified
The exact percentage is a trade secret.				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
	Neve	give anything by mouth to an unconsci	ous person. If	vou feel unwell, seek medical
		e (show the label where possible).		
First-aid measures after inhalation	Allow	victim to breathe fresh air. Allow the vict	tim to rest.	
First-aid measures after skin contact		ove affected clothing and wash all exposi rm water rinse.	ed skin area v	vith mild soap and water, followed
First-aid measures after eye contact	Rinse persis	immediately with plenty of water. Obtain st.	n medical atte	ntion if pain, blinking or redness
First-aid measures after ingestion	Rinse	mouth. Do NOT induce vomiting. Obtain	n emergency i	medical attention.
4.2. Most important symptoms and effects	, both	acute and delayed		
Symptoms/injuries	Not e	xpected to present a significant hazard ι	under anticipat	ted conditions of normal use.
4.3 Indication of any immediate medical a	ttentio	n and special treatment needed		

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
	ng from the substance or mixture
No additional information availab	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental r	
	s, protective equipment and emergency procedures
General measures	 Avoid contact with skin and eyes. Absorb spillage to prevent material damage. No open flames. No smoking. Remove ignition sources.
6.1.1. For non-emergency p	personnel
Protective equipment	: Safety glasses. Gloves.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency respo	onders
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental preca	
	lic waters. Notify authorities if liquid enters sewers or public waters.
, ,	
	I for containment and cleaning up
For containment	 Plug the leak, cut off the supply. Contain released substance, pump into suitable containers. Dam up the liquid spill.
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other se	ections
See Heading 8. Exposure contro	Is and personal protection.
SECTION 7: Handling an	d storage
7.1. Precautions for safe	handling
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash affected areas thoroughly after handling. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately.
7.2. Conditions for safe st	torage, including any incompatibilities
Technical measures	: Comply with applicable regulations. Ensure adequate ventilation, especially in confined areas. Ground/bond container and receiving equipment. Proper grounding procedures to avoid static
Storage conditions	electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep container
Incompatible products	closed when not in use. : Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Follow Label Directions.	
SECTION 8: Exposure co	ontrols/personal protection
8.1. Control parameters	
•	treated beau paroffinia (64742 54 7)
distillates (petroleum), hydro USA ACGIH	treated heavy paraffinic (64742-54-7) ACGIH TWA (mg/m³) 5 mg/m³ (Mineral oil, pure, highly and severely refined;
	ACGIH TWA (mg/m²) 5 mg/m² (Mineral oli, pure, nighty and severely refined, USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Ex	posi	ure	con	trois
A					

Appropriate engineering controls	:	Loca
Personal protective equipment	:	Avoi

- : Local exhaust venilation, vent hoods . Ensure good ventilation of the work station.
 - : Avoid all unnecessary exposure. Gloves. Safety glasses.



Materials for protective clothing
Hand protection
Eye protection
Skin and body protection
Respiratory protection
Environmental exposure controls
Consumer exposure controls
Other information

Materiala for materia a station

: Wear protective gloves.

- : Chemical goggles or safety glasses.
- : Wear suitable protective clothing.
- : Wear appropriate mask.
 - : Avoid release to the environment.
 - : Avoid contact during pregnancy/while nursing.
- : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties	
Physical state	: Liquid	
Appearance	: Liquid.	
Color	: Yellow to brown.	
Odor	: Mild . Hydrocarbon.	
Odor threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 218 °C	
Auto-ignition temperature	: 320 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: < 0.3 kPa	
Relative vapor density at 20 °C	: >1	
Relative density	: 0.882	
Solubility	: No data available	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: 63 @ 40 deg C	
Viscosity, dynamic	: No data available	
Pour Point	: -37 °C	
Explosive properties	: No data available	
Oxidizing properties : No data av		
Explosion limits	: No data available	
9.2. Other information		

VOC content	

SECT	ON 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
Not esta	ablished.
10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Direct si	unlight. Extremely high or low temperatures.

: <1%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5.	Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
LD50 oral rat	> 5000 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)		
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)		
LC50 inhalation rat (mg/l)	> 5.53 mg/l/4h (Rat; Experimental value)		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity – single exposure	: Not classified		
Specific target organ toxicity – repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.		

SECTION 12: Ecological inforn	nation
2.1. Toxicity	
distillates (petroleum), hydrotreated	heavy paraffinic (64742-54-7)
LC50 fish 1	> 100 mg/l (LL50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Static system; Fresh water; Experimental value)
Threshold limit algae 1	>= 100 mg/l (NOEL; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
2.2. Persistence and degradabilit	у
OIL TREATMENT 8 FL.OZ.	
Persistence and degradability	Not established.
Lubricating oils (petroleum), C20-50,	hydrotreated neutral oil-based (72623-87-1)
Persistence and degradability	Not established.
distillates (petroleum), hydrotreated	heavy paraffinic (64742-54-7)
Persistence and degradability	Not readily biodegradable in water. Adsorbs into the soil.
2.3. Bioaccumulative potential	
OIL TREATMENT 8 FL.OZ.	
Bioaccumulative potential	Not established.
Lubricating oils (petroleum), C20-50,	hydrotreated neutral oil-based (72623-87-1)
Bioaccumulative potential	Not established.
distillates (petroleum), hydrotreated	heavy paraffinic (64742-54-7)
Bioaccumulative potential	No bioaccumulation data available.
2.4. Mobility in soil	
lo additional information available	
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal conside	rations
3.1. Waste treatment methods	

13.1.	Waste treatment methods	
10.1.	Waste treatment methods	
Product/F	Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Tra	ansport information
In accordance with AD	DR / RID / IMDG / IATA / ADN
US DOT (ground):	Not Regulated,
ICAO/IATA (air):	Not Regulated,
IMO/IMDG (water):	Not Regulated.

14.2. On proper shipping name	
Proper Shipping Name (DOT)	: Not Regulated
14.3. Additional information	
Other information	: No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information	
15.1. l	JS Federal regulations
No add	ditional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

OIL TREATMENT 8 FL.OZ.				
U.S California - Proposition 65 - Carcinogens List		No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
No	No	No	No	

SECTION 16: Other information			
Indication of changes	: Revision - See : *.		
Other information	: None.		
Full text of H-phrases:			
H350	May cause cancer		
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.		
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.		
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating			
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible		
Flammability	: 1 Slight Hazard		
Physical	: 0 Minimal Hazard		
Personal Protection	: B		

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. Howe ver, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.